PIXMA G2410 COMPACT **HIGH YIELD** PRINT, COPY AND SCAN

Efficient and versatile, this multi-functional printer boasts high yield ink bottles for low cost, high quality document and photo printing, copying and scanning. Ideal for home or office.





TT 🗎 High Page Yield Integrated Ink Tanks

Canon



Paper Feeding





PRODUCT RANGE







PIXMA G2410

PIXMA G1410



- Enjoy incredible page yields with refillable ink tanks
- Print high quality documents and vivid borderless photos
- Reliable print, copy and scan ideal for home or office
- Easy to use with simple USB connectivity and 1.2" LCD
- Create and print photos in new ways with My Image Garden



TECHNICAL SPECIFICATIONS

GENERAL SPECIFICATIONS Functions

PRINTER SPECIFIC ATIONS Print Resolution Print Technology

Mono Print Speed Colour Print Speed Photo Print Speed **Borderless** Printing

CARTRIDGES AND YIELDS Standard Ink Cartridaes

Cartridge Yield (Plain paper)

Cartridge Yield (Photo print)

PAPER SUPPORT Paper Types

Maximum Paper Input Paper Sizes

Paper Weight

SCANNER SPECIFICATIONS Scanner Type Scanner Resolution (Optical) A4 Scan Speed Scanning Depth (Input / Output) Maximum Document Size

COPIER SPECIFICATIONS Copy Speed

Multiple Copy Copy Functions Copy Zoom

INTERFACE Display Type & Size Interface Type - PC / Mac

SOFTWARE Supported Operating Systems

Minimum System Requirements Software Included Print, Copy, Scan

Up to 4800^[1] x 1200 dpi 2 FINE Cartridges (Black and Colour) Refillable ink tank printer

Approx. 8.8 ipm [2 Approx. 5.0 ipm^[2] Borderless 10x15cm : Approx. 60 seconds [3] Yes (A4. Letter, 20x25cm, 13x18cm, 13x13cm, 10x15cm)

GI-490 <PGBK> GI-490 <C> GI-490 <M> GI-490 <Y> A4 colour documents printing [4] Black: 6000 pages* Colour: 7000 pages* * Estimated supplemental yield 10x15cm colour photo printing [5] Colour: 2000 Photos* * Estimated supplemental vield

Plain Paper High Resolution Paper (HR-101N) Photo Paper Plus Glossy II (PP-201) Photo Paper Pro Luster (LU-101) Photo Paper Plus Semi-gloss (SG-201) Glossy Photo Paper "Everyday Use" (GP-501) Matte Photo Paper (MP-101) Envelope

Rear tray: Max. 100 sheets (plain paper) A4, A5, B5, 10x15cm, 13x18cm, 20x25cm, Envelopes (DL, COM10), Letter, Legal Plain paper: 64 - 105 a/m² Canon photo paper: up to 275 g/m²

CIS flatbed photo and document scanner 600 x 1200 dpi [6] Approx. approx. 19 sec^[7] Colour: 48 bit / 24 bit Greyscale: 16 bit / 8 bit 216 x 297 mm

sFCOT: Approx. 32 sec ^[8] sESAT: Approx. 1.7 ipm ^[8] 21 copies (max.) Document copying (plain paper) Fit to page

LCD (1.2 inch segment mono) Hi-Speed USB (B Port)

Windows 10, Windows 8.1, Windows 7 SP1 .NET Framework 4.5.2 or 4.6 is required Windows: 3.1GB disk space, Internet Explorer 8 Display: 1024 x 768 XGA MP Driver including Scanning Utility My Image Garden with Full HD Movie Print [9] Quick Menu Easy-WebPrint EX (download) [10]

PHYSICAL FEATURES

Weiaht Dimensions (W x D x H) Acoustic Noise Levels **Operating Temperature Operatina Humidity** Power Source Power Consumption

Footnotes

- 11 Ink droplets can be placed with a minimum pitch of 1/4800 inch
- ^[2] A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.

approx. 6.3 kg

5-35°C

approx. 445 x 330 x 163 mm

10-90%RH (no dew condensation)

Standby (connected to PC via USB): Approx. 0.6W

(scanning lamp off) Standby (all ports connected): Approx. 0.6W

Time to enter Standby mode: 10 minutes 48sec

approx. 46.0dB(A)^[11]

AC 100-240V 50/60Hz

(scanning lamp is off)

Copying: Approx. 9W

Off: Approx. 0.2W

- ^[3] Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- ^[4] Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and continuous printing simulation with the replacement after initial setup.
- ^[5] Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 29103 chart and continuous printing simulation with the replacement after initial setup.
- ^[4] Optical resolution is a measure of maximum hardware sampling resolution based on ISO 14473 standard. When scanning in high resolution, the maximum scan size is restricted.
- [7] Colour document scan speed is measured with ISO/IEC 24735 Annex C Test Chart A. Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turns off.
- (8) Colour document copy speed is measured based on average of sFCOT and sESAT in Performance Test of ISO/IEC 29183 standard.
- 9 Full HD Movie Print is available for MOV and MP4 movie files created by select Canon digital cameras and camcorders. Requires installation of software bundled with Canon video or digital camera, from which the movie was captured. MOV files require: ZoomBrowser EX / ImageBrowser (version 6.5 or later), MP4 files require: ImageBrowser EX (version 1.0 or later).
- 10 Easy-WebPrint EX requires Internet Explorer 8 or later
- [11] When printing ISO/JIS-SCID N2 pattern on 10x15cm Photo Paper Plus Glossy II using default settings.
- [12] When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.

Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc. • Ink yield may vary depending on texts/photos printed, applications software used,
- print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield
- Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2018

Canon

PIXMA G2410

COMPACT HIGH YIELD PRINT, COPY AND SCAN

PIXMA G2410

Efficient and versatile, this multi-functional printer boasts high yield ink bottles for low cost, high quality document and photo printing, copying and scanning. Ideal for home or office.

Sales Start Date: Feb 2018



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price		
PIXMA G2410 MEA	2313C009AA	4549292095210	<please fill="" in="" rrp=""></please>		

CONSUMABLES:

Product Name	Mercury Code EAN Code		Recommended Retail Price		
Standard size					
GI-490BK	0663C001AA	4549292041729	<please fill="" in="" rrp=""></please>		
GI-490C	0664C001AA	4549292041743	<please fill="" in="" rrp=""></please>		
GI-490M	0665C001AA	4549292041767	<please fill="" in="" rrp=""></please>		
GI-490Y	0666C001AA	4549292041781	<please fill="" in="" rrp=""></please>		

Canon

COMPACT HIGH YIELD PRINT, COPY AND SCAN



Efficient and versatile, this multi-functional printer boasts high yield ink bottles for low cost, high quality document and photo printing, copying and scanning. Ideal for home or office.



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA G2410 MEA	2313C009AA	Individual	1	512.5	480.0	249.5	9.1	5.3
		Pallet (Upper)	16	1033.0	968.0	1002.5	147.2	145.6
		Pallet (Bottom)	20	1033.0	968.0	1252.0	183.6	182.0

What's in the box?

- All-In-One printer PIXMA G2410
- 4 High yield ink bottles
- Power cord
- Setup CD-ROM
- Manuals and other documents

