



Printing Laser imageCLASS LBP122dw

imageCLASS LBP122dw



Print ^

Printing Method	Monochrome Laser Beam Printing
Print Speed ^{*1}	
A4	29 pages/minute
Letter	30 pages/minute
2-Sided	18 pages/minute (A4) / 19 pages/minute (Letter)
Print Resolution	600 x 600 dpi
Print Quality with Image Refinement Technology	2 400 (equivalent) x 600 dpi
Warm-Up Time (From Power On)	7.5s
First Print Out Time (FPOT) ^{*1} (Approx.)	
A4	5.4s
Recovery Time (From Sleep Mode)	3.2s or less

Print Language	UFR II
Auto Duplex Print	Yes
Print Margins	Top/Bottom/Left/Right margin: 5 mm Top/Bottom/Left/Right margin: 10 mm (Envelope)
Paper Handling 	
Input Tray Capacity (Plain Paper, 80 g/m² (gsm))	
Standard	
Paper Tray	150 sheets
Output Tray Capacity (Plain Paper, 80 g/m² (gsm))	100 sheets
Media Size	
Paper Tray	A4, A5, A6, B5, Legal, Letter, Executive, Statement, Foolscap, Government Letter, Government Legal, Indian Legal, Index Card, Postcard, Envelope (COM10, Monarch, DL, C5), Custom (minimum 76 x 127 mm to maximum 216 x 356 mm)
2-Sided Printing	A4, Legal, Letter, Foolscap, Indian Legal
Media Type	Plain Paper, Recycled Paper, Label, Postcard, Envelope
Media Weight	
Paper Tray	60 - 163 g/m ² (gsm)
2-Sided Printing	60 - 105 g/m ² (gsm)
Connectivity & Software 	
Standard Interfaces	
Wired	USB 2.0 High Speed, 10Base-T/100Base-TX
Wireless	Wi-Fi 802.11b/g/n (Infrastructure Mode, WPS, Direct Connection)
Network Protocol	
Print	LPD, RAW, WSD-Print (IPv4, IPv6)
Network Security	
Wired	IP/Mac Address Filtering, HTTPS, SNMPv3, IEEE802.1X, TLS 1.3

Wireless	Infrastructure Mode: WEP (64/128 bit), WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA-EAP (AES), WPA2-EAP (AES) Access Point Mode: WPA2-PSK (AES)
Mobile Solution	Canon PRINT Business, Canon Print Service, Apple® AirPrint®, Mopria® Print Service, Microsoft Universal Print
Compatible Operating Systems *2	Windows®, Windows Server®, Mac® OS, Linux, Chrome OS
Software Included	Printer Driver, Toner Status
General	^
Device Memory	256 MB
Display	5.3cm (5-Line) LCD
Power Requirements	AC 220 - 240 V, 50/60 Hz
Power Consumption (Approx.)	
Operation	530 W (maximum 1 300 W)
Standby	3.5 W
Sleep	1.0 W
Operating Environment	
Temperature	10 - 30°C
Humidity	20 - 80% RH (no condensation)
Monthly Duty Cycle *3	20 000 pages
Dimensions (W x D x H) (Approx.)	356 x 283 x 213 mm
Weight *4 (Approx.)	5.6 kg
Toner Cartridge *5	
Standard	Cartridge 071: 1 200 prints (Bundled: 700 pages)
High	Cartridge 071H : 2 500 prints

1. Print resolution 600 x 400 dpi.
2. The latest drivers for Windows, Windows Server, Mac OS and Linux can be downloaded from the <https://asia.canon/en/support> website when available.
3. Monthly Duty Cycle value provides a means of comparison for product robustness in relation to other Canon laser printer