



Printing Laser imageCLASS LBP226dw

imageCLASS LBP226dw



Print ^

Printing Method	Monochrome Laser Beam Printing
Print Speed	
A4	38ppm
Letter	40ppm
2-sided	31ppm (A4)/ 33ppm (Letter)
Print Resolution	600 x 600dpi
Print Quality with Image Refinement Technology	1 200 (equivalent) x 1 200dpi (equivalent)
Warm up Time (From Power On)	14s
First Print Out Time (FPOT)	
A4	5.5s
Letter	5.4s
Recovery Time (From Sleep Mode)	4.0s
Print Language	UFR II, PCL 6 , Adobe® PostScript® 3™

Auto Duplex Print	Standard
Available Paper Size for Auto Duplex Print	A4, Letter, Legal, Foolscap, Indian Legal
Print Margins	5mm - top, bottom, left and right (Envelope: 10mm)
Print Features	Poster, Booklet, Watermark, Page Composer, Toner Saver
USB Direct Print	-
Supported File Format for USB Direct Print	-
Paper Handling 	
Paper Input (based on 80g/m²)	
Standard Cassette	250 sheets
Multi-Purpose Tray	100 sheets
Optional Paper Feeder	550 sheets
Maximum Paper Input Capacity	900 sheets
Paper Output	150 sheets
Paper Sizes	
Cassette / Optional Paper Feeder	A4, B5, A5, A6, Letter, Legal, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal Custom (105.0 x 148.0mm to 216.0 x 355.6mm)
Multi-Purpose Tray	A4, B5, A5, A6, Letter, Legal, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal, Index Card Envelope: COM10, Monarch, C5, DL Custom (76.2 x 127.0mm to 216.0 x 355.6mm)
Paper Types	Plain, Heavy, Recycled, Colour, Label, Postcard, Envelope
Paper Weight	
Cassette / Optional Paper Feeder	60 to 120g/m ²
Multi-Purpose Tray	60 to 163g/m ²
Connectivity & Software 	
Standard Interfaces	
Wired	USB 2.0 High Speed, 10Base-T/100Base-TX/1000Base-T
Wireless	Wi-Fi 802.11b/g/n (Infrastructure mode, WPS easy)

Setup, Direct Connection)

Network Protocol	
Print	LPD, RAW, WSD-Print (IPv4,IPv6)
TCP/IP Application Services	Bonjour(mDNS), HTTP, HTTPS, POP before SMTP (IPv4,IPv6), DHCP, ARP+PING, Auto IP, WINS (IPv4), DHCPv6 (IPv6)
Management	SNMPv1, SNMPv3 (IPv4,IPv6)
Network Security	
Wired	IP/Mac address filtering, HTTPS, SNMPv3, IEEE802.1x, IPSecurity
Wireless	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES)
Other Features	Department ID, Secure Print
Mobile Solution	Canon PRINT Business, Canon Print Service, Google Cloud Print™, Apple® AirPrint®, Mopria® Print Service
Compatible Operating Systems	Windows® 10, Windows® 8.1, Windows® 7, Windows Server® 2019, Windows Server® 2016, Windows Server® 2012 R2, Windows Server® 2012, Windows Server® 2008 R2, Windows Server® 2008, Mac® OS X 10.9.5 & up*1, Linux*1
Software Included	Printer driver, Toner Status
General ^	
Device Memory	1GB
LCD Display	6.9cm
Dimensions (W x D x H)	401 x 373 x 250mm
Weight	8.8kg
Power Consumption	
Maximum	1 330W
During Operation (Average)	480W
During Standby (Average)	9.0W
During Sleep (Average)	0.9W (USB/ LAN / Wi-Fi)
Operating Environment	
Temperature	10 - 30°C
Humidity	20% - 80%RH (no condensation)

Power Requirements	AC 220 - 240V (+/-10%), 50/60 Hz (+/-2Hz)
Noise Levels*²	
During Operation	Sound Pressure Level: 54dB Sound Power Level: 6.8dB
During Standby	Sound Pressure Level: inaudible Sound Power Level: inaudible
Toner Cartridge*³	
Standard	Cartridge 057: 3 100 pages (bundled: 3 100 pages)
High	Cartridge 057H: 10 000 pages
Monthly Duty Cycle*⁴	80 000 pages

Optional Accessories

Paper Feeder	Cassette Feeding Unit-AH1 (550 sheets)
---------------------	--

1. The latest drivers for Mac OS and Linux can be downloaded from the <https://asia.canon> website when available.
2. Tested in accordance to ISO 7779 and declared per ISO 9296.
3. Toner cartridge yield is in accordance with ISO/IEC 19752.
4. Monthly Duty Cycle value provides a means of comparison for product robustness in relation to other Canon laser printer devices, and does not refer to actual maximum image output per month.

- All prices above are inclusive of all taxes.

Copyright © 2021 Canon India Pvt Ltd. All rights reserved.