PIXMA G4470

FAST PRINTS. HUGE SAVINGS



A fast, cost-efficient 4-in-1 everyday printer for productive students, families and home users.







Ultra-low running costs

Make huge savings over the printer's lifetime thanks to refillable high-yield ink tanks that can deliver 8,100¹ prints on a single set of ink bottles and greatly reduce the total cost of ownership

Simple operation

Easy, straightforward day-to-day use thanks to a clear 1.3" LCD panel and single-action print head installation

High-speed productivity

Get your documents faster thanks to print speeds of 11.0 ipm (mono) and 6.0 ipm (colour)

Easy at-home maintenance

Keep downtime to a minimum thanks to the user-replaceable maintenance cartridge and mechanical ID no-squeeze ink

Wireless connectivity

Print seamlessly from a range of devices with Wi-Fi connectivity and support for PIXMA Cloud Link, Canon PRINT app, Apple AirPrint and more

Work with more media

Get creative at home with the ability to print on magnetic and matte photo paper



Economy mode



High Quality Printing

PRODUCT RANGE



35____

35-sheet ADF



Rear Feeding Capacity

OMOTONE





PIXMA G4470



PIXMA G3470



PIXMA G2470

PIXMA G4470PIXMA G3470 PIXMA G2470 PIXMA G1430



Live for the story

TECHNICAL SPECIFICATIONS

PIXMA G4470

GENERAL SPECIFICATIONS

PRINTER SPECIFICATIONS

Print Resolution Print Technology

Mono Print Speed Colour Print Speed Photo Print Speed Borderless Printing

Two Sided Printing

CARTRIDGES AND YIELDS Standard Ink Cartridges

Cartridge Yield (Plain paper)

Cartridge Yield (Photo print)

PAPER SUPPORT

Paper Types

Maximum Paper Input

Automatic Document Feeder Paper Sizes

Paper Weight

SCANNER SPECIFICATIONS Scanner Type

Scanner Resolution (Optical) Line Scanning Speed

Scanning Depth (Input / Output) Maximum Document Size Print, Scan, Copy & Fax with ADF, WiFl and Cloud

Up to 4800 x 1200 dpi [1]

2 FINE Print Head (Black and Colour) Refillable ink tank printer approx. 11 ipm [2]

approx . 6.0 ipm [2]

Borderless 10x 15cm: Approx. 45 seconds [3]

res A4, B5, LTR, 4" x 6", 5" x 7", 7" x 10", 8" x 10", Square (89 mm x 89 mm), Square(127 mm x 127 mm), Card Size (91 mm x 55 mm) [15]

Manual operation

GI-41 <PGBK> GI-41 <C> GI-41 <M> GI-41 <Y>

A4 colour documents printing Black: 6,000 pages (Economy mode 7,600 pages) Colour: 7,700 pages (Economy mode 8,100 pages) *Estimated supplemental yield

10x 15cm colour photo printing [5] Colour: 2,200 photos
* Estimated supplemental yield

Plain Paper

Red Label Superior 80 g/m² (WOP111), Canon Oce Office Colour Paper 80 g/m² (SAT213)

Photo Paper Pro Luster (LU-101), Photo Paper Plus Glossy II (PP-201) Matte Photo Paper (MP-101),

Glossy Photo Paper "Everyday Use" (GP-501) High Resolution Paper (HR-101N), Envelope,

Photo Paper Plus Semi-gloss (SG-201), Greeting Card (manufactured by Avery and RedRiverPaper).

Cardstock (manufactured by Neenah Paper and INKPRESS),

Restickable Photo Paper(RP-101) Magnetic Photo Paper (MG-101) Dark Fabric Iron on Transfers (DF-101), Light Fabric Iron on Transfers (LF-101), Double sided Matte Paper (MP-101D) Rear Tray: Max. 100 sheets (plain paper)

Up to 35 Sheets (1-sided)

A4, A5, A6, B5, LTR, LGL, Executive (184.2 mm x 266.7 mm), Legal(215 mm x 345 mm), 4" x 6", 5" x 7", 7" x 10", 8" x 10", Envelopes DL, Envelopes COM10, Envelopes C5, Square (89 mm x 89 mm), Square (127 mm x 127 mm),

Card Size (91 mm x 55 mm)

[Custom size] w idth 55 mm - 216 mm, lenath 89 mm - 1200 mm Rear Tray: Plain paper: 64 - 105 g/m²

Canon specialty paper: max paper w eight: approx. 265 a/m²

(Photo Paper Plus Glossy II PP-201)

CIS flatbed photo and document scanner

Colour: 3.5 ms/line(300dpi) [17] Greyscale: 1.5 ms/line(300dpi) [17] Colour: RGB each 16bit/8bit Greyscale: 16 bit / 8 bit

A4/LTR

COPIER SPECIFICATIONS

Copy Speed

Copy quality Intensity adjustment Multiple Copy Copy Functions

Copy Zoom

FAX SPECIFICATIONS Fax Type Fax Resolution

Transmission Speed

Fax Memory Group Dial

GENERAL Display

Display Languages

Standard Interface

Mobile Apps (iOS®/ ANDROID™)

Printer Features

Smart Assistant & Automation troaqu2 OS Compatibility

Minimum System Requirements

Software Included

sFCOT: Approx. 23 sec [18] sESAT: Approx. 3.2 ipm [18]

3 levels (Economy, Standard, High) 9 positions, Auto intensity (AE copy)

99 copies (max.)

Document Copying, Photo Copying, Borderless copy, 2-on-1 and 4-on-1 copy, Frame erase copy,

25 - 400% (in 1% increments)

Fit to page
A5 to A4, B5 to A4, A4 to A5 and A4 to B5

Super G3 / Colour Mono: up to 300 x 300dpi Colour: 200 x 200 dpi Mono: approx . 3 sec. (33.6kbps)

Colour: approx. 1 min. (33.6kbps) [26] Up to 50 pages [27]

Max. 19 locations

1.35" / 3.4 cm Square LCD (Monochrome)

33 Languages Selectable: Japanese/English

(mm & inch)/German/French/Italian/Spanish/ BR Portuguese/Dutch/Danish/Norw egian/Sw edish/ Finnish/Russian/Ukrainian/Polish/Czech/Slovenian/ Hungarian/Slovakian/Croatian/Romanian/Bulgarian/

Turkey/Greek/Estonian/Latvian/Lithuanian/ Simplified Chinese/Korean/Traditional Chinese/

Thai/Indonesia/Vietnamese

Hi-Speed USB (USB B Port)

Wi-Fi: IEEE802.11 b/g/n (i'i) Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP,

Administration passw ord
Wireless LAN Frequency Band: 2.4 GHz

Wireless Pict Bridge Canon PRINT app [14] Creative Park app [25]

Easy-PhotoPrint Editor app [21]

Easy-PhotoPrint Editor Software [21] PIXMA Cloud Link (print)

Canon Print Service Plugin (Android) [24]

Apple AirPrint Wireless Direct [16]

Mopria (Android) [13] Amazon Alexa™ [20] Google Assistant™ [20]

Windows 11, Windows 10, Windows 8.1, Windows 7 SP1

Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.
Printer driver, IJ Printer Assistant Tool and IJ Network Device Setup Utility are available with following OS.

Windows Server 2008 R2 SP1, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019,

Windows Server 2022

Mac: OS X 10 14 6~ mac OS 12

Chrome OS

Mobile Operating Systems: iOS®, Android $^{\text{TM}}^{[23]}$

Windows: 2.0GB or more Mac: 1.0GB or more

Note: for bundled software installation. The

necessary amount of hard disk space required. Display: 1024 x 768 XGA

ROMOTONE

Printer Driver

IJ Printer Assistant Tool

Canon

TECHNICAL SPECIFICATIONS

PIXMA G4470

PHYSICAL FEATURES

Dimensions (W x D x H)

Acoustic Noise Levels Operating Temperature Operating Humidity

Power Source

Power Consumption

Approx. 416 x 337 x 212 mm (with travs retracted) Approx. 416 x 556 x 268 mm (with trays extended)

approx . 48.0dB(A) [7]

10-90%RH (no dew condensation)

AC 100-240V, 50/60Hz

Off: Approx. 0.1W

Standby (IISB connection to PC): Approx 0.6W Standby (all ports connected): Approx. 1.0W Time to enter Standby mode: 11 minutes 1 sec Copying: Approx. 15W [9]

0.16 kW h ^[8]

Typical Electricity Consumption

Footnotes

- III Ink droplets can be placed with a minimum pitch of 1/4800 inch
- [2] A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- [3] Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer
- [4] Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and continuous printing simulation with the replacement after initial setup.
- isi. Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 29103 charl and continuous printing simulation with the replacement after initial setup.
- $_{\rm [6]}$ Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473
- [7] Plain Paper (A4, B,W). Acoustic Noise is measured based on ISO7779 standard.
- [8] Typical Electricity Consumption (TEC) value: TEC value was calculated assuming the unit will be const antly switched among operational mode, sleep mode, and power-off mode for 5 days, and that it will be either in sleep or power-off mode for theremaining 2 days within the same week. The TEC value of this product is calculated by Canon on their own accord using TEC measurement procedure regulated in International ENERGY STAR Program
- [9] Copy: When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default
- (11) W ireless printing requires a working network with wireless 802.11b/g/n capability, operating at 2.4GHz. W ireless performance may vary based on terrain and distance between the printer and wireless net work clients.
- 1121 AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device running iOS 7.0 or later and an AirPrint -enabled printer connected to the same network as your iOS device. A print connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.
- Requires Android mobile device with Android 4.4 operating system or later with the Mopria Print Service pre-loaded with that device and the compatible PIXWA printer on the same wireless network. The M opria experience is also available on Android 4.4 mobile devices with a download of the Mopria Print Service from Google Play.
- 1141 Requires an Internet connection and the Canon PRINT Inkiet/SELPHY app, available for free on the App Store and at Google Play. Compatible with iPad, iPhone 3GS or later, and iPodtouch 3rd generation or later devices running iOS 7.0 or later, and Android mobile devices running Android 2.3.3 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n/a capability as you printer. Requires a compatible social media account and is subject to that social media accounts Tems of Service. Certain exceptions may apply
- $_{\left[15\right]}$ Paper types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer, Photo Stickers
- [14] Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and connected to the desired active wireless network to complete cableless setup.
- [17] The fastest speed in Hi-Speed USB on Windows PC. Transfer time to computer is not included.
- [18] Colour document copy speed is measured based on average of sFCOT and sESAT in Performance Test of ISO/IEC 29183 standard. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- The economy mode reduces the black ink consumption by lowering the density, 26% more pages than the standard mode can be printed
- [20] Requires an activesmart assistant account linked and accompanying app enabled, the smart device and print ert o be actively connected with permission to the Canon Inkjet Cloud Printing Center, and the required action(s), skill(s), or applet(s) available/enabled to the compatible printer. Voice commands can not be displayed as text on Amazon smart devices with screens, Only English, French and German

OTONER

1211 The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Micros off Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft W indows 7 SP1 (64-bit/32-bit), macOS High Sierra v 10.13, macOS Sierra v 10.12, Mac OS X El Capitan v10.11 and M ac CS X El Capitan v10.10.5 MinimumWindows and macOS/Mac CS X requirements are: 2GB of RAM and a monitorwith 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v 1.1.0, available for free on the App Store and at Google Play, Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v 10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy Phot oPrint Editor export data.

[22] DPS over IP compatible device required.

- [23] Some functions may not be available with these Operating Systems. Please refer to the manual or w ebsite for details.
- [24] Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4-v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a st andalone app. Available for free at Google Play.
- [23] Requires an Internet connection and the Creative Park app, available for free on the App St ore and at Google Play. Compatible with iOS 12.0 or later/Android OS 5.0 or later operating systems. You must have a Canon ID and a Canon inkjet printer to use this app.
- [26] Black & white document fax transmission speed is based on default setting using ITU-T No.1 chart.
 Color document fax transmission speed is based on default setting using Canon Color Fax Test Sheel Actual transmission speed may vary depending on document complexity, fax settings at receiving end, and line conditions etc.

[27] Page count is based on ITU-T No.1 chart or Canon FAX Standard Chart No.1.

Standard disclaimers

- All specifications subject to change without notice.
 Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see

ww.canon-europe.com/ink/vield

- All brand and product names are trademarks of their respective companies
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.



Canon Inc. canon.com Canon Europe canon-europe.com Enalish edition Canon Europa NV 2022



FAST PRINTS. HUGE SAVINGS

PIXMA G4470

A fast, cost-efficient 4-in-1 everyday printer for productive students, families and home users.

Sales Start Date: January 2023 MOTONE



POMOLOMER

PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PIXMA G4470	5807C009AA	4549292205800	<please fill="" in="" rrp=""></please>

PRODUCT CODES FOR CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
Standard size		18	
GI-41PGBK	4528C001AA	4549292169522	<please fill="" in="" rrp=""></please>
GI-41C	4543C001AA	4549292169768	<please fill="" in="" rrp=""></please>
GI-41M	4544C001AA	4549292169782	<please fill="" in="" rrp=""></please>
GI-41Y	4545C001AA	4549292169805	<please fill="" in="" rrp=""></please>
Maintenance Cartridge			
MC-G04	5813C001AA	4549292206029	<please fill="" in="" rrp=""></please>

MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)
PIXMA G4470	5807C009AA	Individual	1	499	494	312	11.9
		Pallet (Upper)	12	1003	991	940.5	144.5
		Pallet (Bottom)	12	1003	991	940.5	144.5

TONER

What's in the box?

- PIXMA G4470 Refillable MegaTank Inkjet Printer
- 4 high-yield ink bottles (1 x Black and 1 x C/M/Y)
- Power cord
- Manuals and other documents

Canon