PIXMA TS3440 PRINT, COPY, SCAN: IT'S SO EASY!

Your entry-level multifunction printer: print, scan and copy with confidence with essential features at an affordable price







Smart simplicity

With a compact, modern design and excellent value, you can print, scan and copy effortlessly. It's so easy!

· Compatible with your tech

You can print, copy and scan from your tablet or smartphone, with wireless compatibility and clean, simple interface

• Super-simple setup

You'll be up and running in less time than ever with one-touch wireless connectivity and an easier setup procedure

· Seeing is believing

Status updates are shown in plain sight on the crystal-clear 1.5" mono segment LCD screen

· Live without borders

You can print borderless photos up to 5x7" in size; a 4x6" photo prints in just 65 seconds*. Connect directly to your camera with Wi-Fi PictBridge technology

*Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer.













PRODUCT RANGE



Canon PIXMA TS7440



Canon PIXMA TS5340

Canon PIXMA TS9540 Canon PIXMA TS8340 Canon PIXMA TS6340 Canon PIXMA TS7440 Canon PIXMA TS5340





Canon PIXMA TS3440



TECHNICAL SPECIFICATIONS

PIXMA TS3440

GENERAL SPECIFICATIONS

Functions

Wi-Fi, Print, Scan & Copy, Cloud

PRINTER SPECIFICATIONS

Print Resolution Print Technology

Mono Print Speed

Colour Print Speed Photo Print Speed

Borderless Printing

Two Sided Printing

CARTRIDGES AND VIELDS Standard Ink Cartridges

Optional XL Ink Cartridges

Cartridge Yield (Plain paper)

Cartridge Yield (Photo print)

Paper Types

Maximum Paper Input

Paper Sizes

Paper Weight

SCANNER SPECIFICATIONS

Scanner Type Scanner Resolution (Optical)

Scanning Depth (Input / Output) Maximum Document Size

COPIER SPECIFICATIONS

Copy Speed

Multiple Copy Copy Functions Copy Zoom

Document Size

INTERFACE

Display Type & Size Interface Type - PC / Mac

Up to 4800 ^[1] x 1200 dpi

2 FINE Cartridges (Black and Colour)

Approx. 7.7 ipm [2] Approx. 4.0 ipm ^[2]

Borderless 10x15cm: Approx. 65 seconds [2]

Yes (13x18cm 10x15cm 13x13cm)

Manual operation

PG-445 (Black) CL-446 (Colour) PG-445XI (Black) CL-446XL (Colour)

A4 colour documents printing [3]

Black: 180 pages Black XL: 400 pages Colour: 180 pages Colour XL: 300 pages 10x15cm photo ^[9] Black: 1445* photos Black XL: 3520* photos Colour: 55 photos

Colour XL: 90 photos * Estimated supplemental yield

Plain Paper

Photo Paper Plus Glossy II (PP-201) Glossy Photo Paper "Everyday Use" (GP-501) Magnetic Photo Paper (MG-101)

Restickable Photo Paper (RP-101) Canon Red Label Superior (WOP111)
Canon Oce Office Colour Paper (SAT213) Rear tray: Max. 60 sheets (plain paper)

Plain paper: A4, A5, B5, Letter, Legal Photo paper: 13x18cm, 10x15cm, 13x13cm [Custom size]

width 89 mm - 215.9 mm, length 127 mm - 676 mm

Plain paper: 64 - 105 g/m² Canon photo paper: up to 275 g/m²

CIS flatbed photo and document scanner

600x1200 dpi ^[4]

Colour: RGB each 16bit/8bit Greyscale: 16bit/8bit 216x297 mm

sECOT: Approx 27 sec sESAT: Approx. 3.0 ipm [5] 20 copies (max.)

Document copy, Borderless copy

25 - 400% Fit to page [8] 216x297 mm

3.8 cm LCD segment mono

Hi-Speed USB (B Port) Wi-Fi: IEEE802.11 b/g/n

Wi-Fi Security: WPA-PSK, WPA2-PSK, WFP Wireless LAN Frequency Band: 2.4GHz

Interface Type - Other

Canon PRINT Inkiet/SFI PHY app Easy-PhotoPrint Editor

PIXMA Cloud Link

Canon Print Service Plugin (Android)

Apple AirPrint Access Point Mode WI AN PictBridge Mopria (Android)

SOFTWARE

Supported Operating Systems

Supported Mobile Systems Operational Requirements

Software Included

PHYSICAL FEATURES Weight

> Acoustic Noise Levels Recommended Operating

Power Source Power Consumption

Windows 10 Windows 8 1 Windows 7 SP1 Operation can only be guaranteed on a PC with

pre-installed Windows 7 or later. macOS 10.12. 6 ~macOS 10.15 iOS, iPadOS, Android, ChromeOS

Display: 1024x768 XGA

Installation: Internet, CD-ROM (Windows) MP Driver including Scanning Utility Easy-PhotoPrint Editor (download)

approx. 4 kg

approx. 435x327x145 mm Dimensions (W x D x H) approx. 48.0 dB(A) [6] Temperature: 15-30°C

Humidity: 10-80%RH (no dew condensation)

AC 100-240V, 50/60Hz Off: Approx. 0.3 W

Standby (connected to PC via USB); Approx. 0.8 W (scanning lamp off)

Standby (all ports connected): Approx. 1.3 W

(scanning lamp is off) Time to enter Standby mode: 10 min 01 sec Copying: Approx. 9 W [7]

III lnk droplets can be placed with a minimum pitch of 1/4800 inch.

jaj Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734.

Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer.

[3] Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained

by continuous printing.

Optical resolution is a measure of maximum hardware sampling resolution, based

on ISO 14473 standard.

[5] Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up

time.
(6) Acoustic Noise is measured based on ISO7779 standard(colour printing) with

default setting.

| When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
Only available for L/4x6/2L/5x7/5x5 Square

[9] Declared yield value in accordance with ISO/IEC 29102. Values obtained by continuous printing.

Standard disclaimers

• All specifications subject to change without notice.

 Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc

• Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/vield

 Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.

Copy speed may vary depending on document complexity, copy mode, page

coverage, type of paper used etc. and does not take into account warming up

All brand and product names are trademarks of their respective companies.

• Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

> Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2020



PRINT, COPY, SCAN: IT'S SO EASY!

PIXMA TS3440

Your entry-level multifunction printer: print, scan and copy with confidence with essential features at an affordable price

Sales Start Date: Jan 2021



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price	
PIXMA TS3440 MEA BLACK	4463C007AA	4549292165685	<please fill="" in="" rrp=""></please>	

CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
Standard size			
PG-445	8283B001AA	4960999974460	<please fill="" in="" rrp=""></please>
CL-446	8285B001AA	4960999974484	<please fill="" in="" rrp=""></please>
XL size			
PG-445XL	8282B001AA	4960999974453	<please fill="" in="" rrp=""></please>
CL-446XL	8284B001AA	4960999974477	<please fill="" in="" rrp=""></please>



PRINT, COPY, SCAN: IT'S SO EASY!

PIXMA TS3440

Your entry-level multifunction printer: print, scan and copy with confidence with essential features at an affordable price



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA TS3440 MEA BLACK	4463C007AA	Individual	1	487.8	195.8	398	5.43	4.19
		Pallet (Upper)	36	988.6	1187.8	1198.5	195.8	194.4
		Pallet (Bottom)	36	988.6	1187.8	1198.5	195.8	194.4

What's in the box?

- All-in-one printer PIXMA TS3440
- FINE cartridges
- Power cord
- Set-up CD-ROM (CD only for Windows)
- Manuals and other documents

